

**Executive Summary – Enforcement Matter – Case No. 50478**

**City of Munday**

**RN101268829**

**Docket No. 2015-0682-PWS-E**

**Order Type:**

Findings Agreed Order

**Findings Order Justification:**

Three or more enforcement actions (NOVs, orders, etc.) over the prior five year period for the same violation(s).

**Media:**

PWS

**Small Business:**

No

**Location(s) Where Violation(s) Occurred:**

City of Munday PWS, 121 East Main Street, Munday, Knox County

**Type of Operation:**

Public water supply

**Other Significant Matters:**

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

**Texas Register Publication Date:** August 7, 2015

**Comments Received:** No

***Penalty Information***

**Total Penalty Assessed:** \$178

**Amount Deferred for Disinfection Byproducts for Eligible Systems:** \$178

**Amount Deferred for Financial Inability to Pay:** \$0

**Total Paid to General Revenue:** \$0

**Total Due to General Revenue:** \$0

Payment Plan: N/A

**Supplemental Environmental Project ("SEP") Conditional Offset:** \$0

Name of SEP: N/A

**Compliance History Classifications:**

Person/CN - Satisfactory

Site/RN - N/A

**Major Source:** No

**Statutory Limit Adjustment:** N/A

**Applicable Penalty Policy:** April 2014

**Executive Summary – Enforcement Matter – Case No. 50478**  
**City of Munday**  
**RN101268829**  
**Docket No. 2015-0682-PWS-E**

***Investigation Information***

**Complaint Date(s):** N/A

**Complaint Information:** N/A

**Date(s) of Investigation:** April 13, 2015 through April 24, 2015

**Date(s) of NOE(s):** April 24, 2015

***Violation Information***

Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter for total trihalomethanes ("TTHM") based on the locational running annual average [30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c)].

***Corrective Actions/Technical Requirements***

**Corrective Action(s) Completed:**

N/A

**Technical Requirements:**

The Order will require the Respondent to:

- a. Within 90 days, begin negotiating a water purchase contract that will enable the Facility to comply with the MCL for TTHM within 1,095 days.
- b. Within 105 days, submit written certification to demonstrate compliance with a.
- c. Within 1,095 days, return to compliance with the MCL for TTHM.
- d. Within 1,110 days, submit written certification to demonstrate compliance with c.

In lieu of a. through d.:

e. Within 120 days, complete a feasibility study, or update an existing feasibility study, and submit a written report or engineering study conducted by a Texas registered professional engineer regarding the results of the feasibility study to evaluate the necessary corrective actions designed to achieve compliance with the MCL for TTHM. The report shall include a tentative schedule describing additional studies, tests, or other methods that may be utilized for the completion of necessary corrective actions within 1,095 days. If the Respondent purchases or sells water, a copy of the purchase water contract must be submitted with the feasibility study report or engineering study.

- f. Within 135 days, submit written certification to demonstrate compliance with e.

**Executive Summary – Enforcement Matter – Case No. 50478**  
**City of Munday**  
**RN101268829**  
**Docket No. 2015-0682-PWS-E**

g. Within 180 days:

i. Submit an acceptable written plan, including a proposed schedule, to the Executive Director that provides for the completion of an alternative water source or a treatment technology; and

ii. On a semi-annual basis thereafter, submit progress reports. These reports shall include information regarding actions taken to provide water which meets the MCL for TTHM.

h. Within 195 days, submit written certification to demonstrate compliance with g.i.

i. Within 1,095 days, return to compliance with the MCL for TTHM.

j. Within 1,110 days, submit written certification to demonstrate compliance with i.

***Litigation Information***

**Date Petition(s) Filed:** N/A

**Date Answer(s) Filed:** N/A

**SOAH Referral Date:** N/A

**Hearing Date(s):** N/A

**Settlement Date:** N/A

***Contact Information***

**TCEQ Attorney:** N/A

**TCEQ Enforcement Coordinator:** Farhaud Abbaszadeh, Enforcement Division, Enforcement Team 1, MC 169, (512) 239-0779; Candy Garrett, Enforcement Division, MC 219, (512) 239-1456

**TCEQ SEP Coordinator:** N/A

**Respondent:** The Honorable Robert E. Bowen, Mayor, City of Munday, P.O. Box 39, Munday, Texas 76371

**Respondent's Attorney:** N/A





# Penalty Calculation Worksheet (PCW)

Policy Revision 4 (April 2014)

PCW Revision March 26, 2014

**TCEQ**

**DATES**

**Assigned**

27-Apr-2015

**PCW**

7-May-2015

**Screening**

4-May-2015

**EPA Due**

30-Jun-2015

## RESPONDENT/FACILITY INFORMATION

**Respondent** City of Munday

**Reg. Ent. Ref. No.** RN101268829

**Facility/Site Region** 3-Abilene

**Major/Minor Source** Minor

## CASE INFORMATION

**Enf./Case ID No.** 50478

**Docket No.** 2015-0682-PWS-E

**Media Program(s)** Public Water Supply

**Multi-Media**

**No. of Violations** 1

**Order Type** Findings

**Government/Non-Profit** Yes

**Enf. Coordinator** Katelyn Samples

**EC's Team** Enforcement Team 1

**Admin. Penalty \$ Limit Minimum** \$50

**Maximum**

\$1,000

## Penalty Calculation Section

**TOTAL BASE PENALTY (Sum of violation base penalties)**

**Subtotal 1** \$150

## ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

**Compliance History**

19.0% Enhancement

**Subtotals 2, 3, & 7** \$28

**Notes**

Enhancement for three NOV's with same/similar violations and two NOV's with dissimilar violations.

**Culpability**

No

0.0% Enhancement

**Subtotal 4** \$0

**Notes**

The Respondent does not meet the culpability criteria.

**Good Faith Effort to Comply Total Adjustments**

**Subtotal 5** \$0

**Economic Benefit**

0.0% Enhancement\*

**Subtotal 6** \$0

Total EB Amounts \$1,322

Estimated Cost of Compliance \$5,000

\*Capped at the Total EB \$ Amount

**SUM OF SUBTOTALS 1-7**

**Final Subtotal** \$178

**OTHER FACTORS AS JUSTICE MAY REQUIRE**

0.0%

**Adjustment** \$0

Reduces or enhances the Final Subtotal by the indicated percentage.

**Notes**

**Final Penalty Amount** \$178

**STATUTORY LIMIT ADJUSTMENT**

**Final Assessed Penalty** \$178

**DEFERRAL**

0.0%

Reduction

**Adjustment** \$0

Reduces the Final Assessed Penalty by the indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

**Notes**

No deferral is recommended for Findings Orders.

**PAYABLE PENALTY**

\$178

Screening Date 4-May-2015

Docket No. 2015-0682-PWS-E

PCW

Respondent City of Munday

Policy Revision 4 (April 2014)

Case ID No. 50478

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN101268829

Media [Statute] Public Water Supply

Enf. Coordinator Katelyn Samples

## Compliance History Worksheet

## &gt;&gt; Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action ( <i>number of NOVs meeting criteria</i> )	3	15%
	Other written NOVs	2	4%
Orders	Any agreed final enforcement orders containing a denial of liability ( <i>number of orders meeting criteria</i> )	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government ( <i>number of judgments or consent decrees meeting criteria</i> )	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government ( <i>number of counts</i> )	0	0%
Emissions	Chronic excessive emissions events ( <i>number of events</i> )	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 ( <i>number of audits for which notices were submitted</i> )	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 ( <i>number of audits for which violations were disclosed</i> )	0	0%
Please Enter Yes or No			
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 19%

## &gt;&gt; Repeat Violator (Subtotal 3)

N/A

Adjustment Percentage (Subtotal 3) 0%

## &gt;&gt; Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

## &gt;&gt; Compliance History Summary

Compliance  
History  
Notes

Enhancement for three NOVs with same/similar violations and two NOVs with dissimilar violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, &amp; 7) 19%

## &gt;&gt; Final Compliance History Adjustment

Final Adjustment Percentage \*capped at 100% 19%

Screening Date 4-May-2015

Docket No. 2015-0682-PWS-E

PCW

Respondent City of Munday

Policy Revision 4 (April 2014)

Case ID No. 50478

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN101268829

Media [Statute] Public Water Supply

Enf. Coordinator Katelyn Samples

Violation Number 1

Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health &amp; Safety Code § 341.0315(c)

## Violation Description

Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mg/L") for total trihalomethanes ("TTHM"), based on the locational running annual average. Specifically, the locational running annual average concentration of TTHM for Disinfection Byproducts Stage 2 at Site 1 was 0.091 mg/L for the third quarter of 2014, 0.111 mg/L for the fourth quarter of 2014, and 0.113 mg/L for the first quarter of 2015.

Base Penalty \$1,000

## &gt;&gt; Environmental, Property and Human Health Matrix

OR

Release	Harm		
	Major	Moderate	Minor
Actual		x	
Potential			

Percent 15.0%

## &gt;&gt; Programmatic Matrix

Falsification	Major	Moderate	Minor

Percent 0.0%

Matrix Notes

Exceeding the MCL for TTHM caused the persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health.

Adjustment \$850

\$150

## Violation Events

Number of Violation Events 1

274 Number of violation days

mark only one  
with an x

daily	
weekly	
monthly	
quarterly	
semiannual	
annual	x
single event	

Violation Base Penalty \$150

One annual event is recommended.

## Good Faith Efforts to Comply

0.0%

Reduction \$0

Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer

Extraordinary	
Ordinary	
N/A	x (mark with x)

Notes

The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$150

## Economic Benefit (EB) for this violation

## Statutory Limit Test

Estimated EB Amount \$1,322

Violation Final Penalty Total \$179

This violation Final Assessed Penalty (adjusted for limits) \$179

# Economic Benefit Worksheet

**Respondent** City of Munday  
**Case ID No.** 50478  
**Reg. Ent. Reference No.** RN101268829  
**Media** Public Water Supply  
**Violation No.** 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

## Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$5,000	30-Sep-2014	10-Jul-2018	3.78	\$63	\$1,259	\$1,322
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

The delayed cost includes the estimated amount necessary to implement an alternative method of disinfection, calculated from the last day of the first quarter of noncompliance to the estimated date of compliance.

## Avoided Costs

ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance [2]				0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

Approx. Cost of Compliance

\$5,000

TOTAL

\$1,322



The TCEQ is committed to accessibility.

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



## TCEQ Compliance History Report

**PUBLISHED** Compliance History Report for CN600735526, RN101268829, Rating Year 2014 which includes Compliance History (CH) components from September 1, 2009, through August 31, 2014.

**Customer, Respondent, or Owner/Operator:** CN600735526, City of Munday

**Classification:** SATISFACTORY

**Rating:** 7.36

**Regulated Entity:** RN101268829, CITY OF MUNDAY

**Classification:** NOT APPLICABLE

**Rating:** N/A

**Complexity Points:** N/A

**Repeat Violator:** N/A

**CH Group:** 14 - Other

**Location:** 121 EAST MAIN STREET, MUNDAY, KNOX COUNTY, TEXAS

**TCEQ Region:** REGION 03 - ABILENE

**ID Number(s):**

**PUBLIC WATER SYSTEM/SUPPLY REGISTRATION**  
1380003

**Compliance History Period:** September 01, 2009 to August 31, 2014

**Rating Year:** 2014

**Rating Date:** 09/01/2014

**Date Compliance History Report Prepared:** May 04, 2015

**Agency Decision Requiring Compliance History:** Enforcement

**Component Period Selected:** May 04, 2010 to May 04, 2015

**TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.**

**Name:** Katelyn Samples

**Phone:** (512) 239-4728

### Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO
- 3) If **YES** for #2, who is the current owner/operator? N/A
- 4) If **YES** for #2, who was/were the prior owner(s)/operator(s)? N/A
- 5) If **YES**, when did the change(s) in owner or operator occur? N/A

### Components (Multimedia) for the Site Are Listed in Sections A - J

**A. Final Orders, court judgments, and consent decrees:**  
N/A

**B. Criminal convictions:**  
N/A

**C. Chronic excessive emissions events:**  
N/A

**D. The approval dates of investigations (CCEDS Inv. Track. No.):**  
N/A

**E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):**

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- |   |                                                                                                                                                                                                  |                          |  |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--|
| 1 | Date: 09/30/2014 (1246388)                                                                                                                                                                       | CN600735526              |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)                                                                                                                                         |                          |  |
|   | Description: TTHM LRAA MCL 3Q2014 - During the third quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.091 mg/L at 1010 N Cedar (DBP2-01).  |                          |  |
| 2 | Date: 10/16/2014 (1246388)                                                                                                                                                                       | CN600735526              |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter H 290.272                                                                                                                                               |                          |  |
|   | 30 TAC Chapter 290, SubChapter H 290.273                                                                                                                                                         |                          |  |
|   | 30 TAC Chapter 290, SubChapter H 290.274(a)                                                                                                                                                      |                          |  |
|   | 30 TAC Chapter 290, SubChapter H 290.274(c)                                                                                                                                                      |                          |  |
|   | Description: CCR 2013 - The system's Consumer Confidence Report (CCR) failed to meet the adequacy, availability, and/or content requirements for the 2013 CCR year.                              |                          |  |
| 3 | Date: 11/17/2014 (1204407)                                                                                                                                                                       | CN600735526              |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.44(h)(1)(B)(iii)                                                                                                                                  |                          |  |
|   | 30 TAC Chapter 290, SubChapter D 290.44(h)(4)                                                                                                                                                    |                          |  |
|   | Description: Failure to install and have back flow prevention device tested annually.                                                                                                            |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter F 290.119(a)                                                                                                                                            |                          |  |
|   | Description: Failure to provide laboratory approval form.                                                                                                                                        |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(1)                                                                                                                                          |                          |  |
|   | Description: Failure to provide annual tank inspections.                                                                                                                                         |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.46(l)                                                                                                                                             |                          |  |
|   | Description: Failure to flush dead-end mains monthly.                                                                                                                                            |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(4)                                                                                                                                          |                          |  |
|   | Description: Failure to provide proper liquid level indicator gauge.                                                                                                                             |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.46(t)                                                                                                                                             |                          |  |
|   | Description: Failure to display ownership sign.                                                                                                                                                  |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Minor    |  |
|   | Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)                                                                                                                                             |                          |  |
|   | Description: Failure to maintain grounds.                                                                                                                                                        |                          |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter F 290.110(b)(2)                                                                                                                                         |                          |  |
|   | Description: Failure to maintain the required minimum disinfection residual.                                                                                                                     |                          |  |
| 4 | Date: 03/04/2015 (1246388)                                                                                                                                                                       | CN600735526              |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)                                                                                                                                         |                          |  |
|   | Description: TTHM LRAA MCL 4Q2014 - During the fourth quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.111 mg/L at 1010 N Cedar (DBP2-01). |                          |  |
| 5 | Date: 03/16/2015 (1246388)                                                                                                                                                                       | CN600735526              |  |
|   | Self Report? NO                                                                                                                                                                                  | Classification: Moderate |  |
|   | Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)                                                                                                                                         |                          |  |
|   | Description: TTHM LRAA MCL 1Q2015 - During the first quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.113 mg/L at 1010 N Cedar (DBP2-01).  |                          |  |

**F. Environmental audits:**

N/A

**G. Type of environmental management systems (EMSs):**

N/A

**H. Voluntary on-site compliance assessment dates:**

N/A

**I. Participation in a voluntary pollution reduction program:**

N/A

**J. Early compliance:**

N/A

**Sites Outside of Texas:**

N/A

**Rating:** N/A

- |   |              |                                                                                                                                                                                    |                                 |                 |                 |          |  |  |  |  |  |  |
|---|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------|-----------------|----------|--|--|--|--|--|--|
| 1 | Date:        | 11/29/2011                                                                                                                                                                         | (969922)                        | CN600735526     | Classification: | Minor    |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.44(h)(4)                                                                                                                                      |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to have the backflow prevention device tested at the Medical Clinic.                                                                                                       |                                 |                 |                 |          |  |  |  |  |  |  |
| 2 | Date:        | 09/30/2014                                                                                                                                                                         | (1246388)                       | CN600735526     | Classification: | Moderate |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter F 290.115(f)(1)                                                                                                                                     |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | TTHM LRAA MCL 3Q2014 - During the third quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.091 mg/L at 1010 N Cedar (DBP2-01). |                                 |                 |                 |          |  |  |  |  |  |  |
| 3 | Date:        | 10/16/2014                                                                                                                                                                         | (1246388)                       | CN600735526     | Classification: | Moderate |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter H 290.272<br>30 TAC Chapter 290, SubChapter H 290.273<br>30 TAC Chapter 290, SubChapter H 290.274(a)<br>30 TAC Chapter 290, SubChapter H 290.274(c) |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | CCR 2013 - The system's Consumer Confidence Report (CCR) failed to meet the adequacy, availability, and/or content requirements for the 2013 CCR year.                             |                                 |                 |                 |          |  |  |  |  |  |  |
| 4 | Date:        | 11/17/2014                                                                                                                                                                         | (1204407)                       | CN600735526     | Classification: | Moderate |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.44(h)(1)(B)(iii)<br>30 TAC Chapter 290, SubChapter D 290.44(h)(4)                                                                             |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to install and have back flow prevention device tested annually.                                                                                                           |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter F 290.119(a)                                                                                                                                        |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to provide laboratory approval form.                                                                                                                                       |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.46(m)(1)                                                                                                                                      |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to provide annual tank inspections.                                                                                                                                        |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.46(l)                                                                                                                                         |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to flush dead-end mains monthly.                                                                                                                                           |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.43(c)(4)                                                                                                                                      |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to provide proper liquid level indicator gauge.                                                                                                                            |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.46(t)                                                                                                                                         |                                 |                 |                 |          |  |  |  |  |  |  |
|   | Description: | Failure to display ownership sign.                                                                                                                                                 |                                 |                 |                 |          |  |  |  |  |  |  |
|   |              |                                                                                                                                                                                    |                                 | Classification: | Minor           |          |  |  |  |  |  |  |
|   | Self Report? | NO                                                                                                                                                                                 | For Informational Purposes Only |                 |                 |          |  |  |  |  |  |  |
|   | Citation:    | 30 TAC Chapter 290, SubChapter D 290.46(m)                                                                                                                                         |                                 |                 |                 |          |  |  |  |  |  |  |

Description: Failure to maintain grounds.

Classification: Moderate

Self Report? NO

Citation: 30 TAC Chapter 290, SubChapter F 290.110(b)(2)

Description: Failure to maintain the required minimum disinfection residual.

5 Date: 03/04/2015 (1246388) CN600735526

Classification: Moderate

Self Report? NO

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 4Q2014 - During the fourth quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.111 mg/L at 1010 N Cedar (DBP2-01).

6 Date: 03/16/2015 (1246388) CN600735526

Classification: Moderate

Self Report? NO

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 1Q2015 - During the first quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.113 mg/L at 1010 N Cedar (DBP2-01).

\* NOVs applicable for the Compliance History rating period 9/1/2009 to 8/31/2014

## Appendix B

### All Investigations Conducted During Component Period May 04, 2010 and May 04, 2015

Item 1	November 29, 2011**	(969922)
Item 2	May 14, 2012**	(1003002)
Item 3	November 17, 2014	(1204407)
Item 4	February 10, 2015	(1223688)
Item 5	April 20, 2015	(1246388)
Item 6	April 24, 2015	(1246694)

\* No violations documented during this investigation

\*\*Investigation applicable for the Compliance History Rating period between 09/01/2009 and 08/31/2014.



# TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



**IN THE MATTER OF AN  
ENFORCEMENT ACTION  
CONCERNING  
CITY OF MUNDAY  
RN101268829**

**§        BEFORE THE  
§  
§        TEXAS COMMISSION ON  
§  
§        ENVIRONMENTAL QUALITY**

## **AGREED ORDER DOCKET NO. 2015-0682-PWS-E**

At its \_\_\_\_\_ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding the City of Munday ("the Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this agreement to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including, but not limited to, the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Agreed Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated settlement of the parties. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Agreed Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

### **I. FINDINGS OF FACT**

1. The Respondent owns and operates a public water supply located at 121 East Main Street in Munday, Knox County, Texas (the "Facility") that has approximately 565 service connections and serves at least 25 people per day for at least 60 days per year.

2. During a record review conducted from April 13, 2015 to April 24, 2015, TCEQ staff documented that the locational running annual average concentration of total trihalomethanes ("TTHM") for Disinfection Byproducts Stage 2 at Site 1 was 0.091 milligrams per liter ("mg/L") for the third quarter of 2014, 0.111 mg/L for the fourth quarter of 2014, and 0.113 mg/L for the first quarter of 2015.
3. The Respondent received notice of the violations on April 29, 2015.

## **II. CONCLUSIONS OF LAW**

1. The Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.
2. As evidenced by Findings of Fact No. 2, the Respondent failed to comply with the maximum contaminant level ("MCL") of 0.080 mg/L for TTHM, based on the locational running annual average, in violation of 30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049, the Commission has the authority to assess an administrative penalty against the Respondent for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of One Hundred Seventy-Eight Dollars (\$178) is justified by the facts recited in this Agreed Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). One Hundred Seventy-Eight Dollars (\$178) of the administrative penalty is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Agreed Order and shall be waived only upon full compliance with all the terms and conditions contained in this Agreed Order. If the Respondent fails to timely and satisfactorily comply with any requirement contained in this Agreed Order, the deferred amount of the administrative penalty shall become immediately due and payable without demand or notice, and the Executive Director may require the Respondent to pay all or part of the deferred administrative penalty.

## **III. ORDERING PROVISIONS**

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed an administrative penalty in the amount of One Hundred Seventy-Eight Dollars (\$178) as set forth in Section II, Paragraph 4 above, for violations of TCEQ rules and state statutes. The payment of this administrative penalty and the



Respondent's compliance with all the terms and conditions set forth in this Agreed Order completely resolve the violations set forth by this Agreed Order in this action. However, the Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations that are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Munday, Docket No. 2015-0682-PWS-E" to:

Financial Administration Division, Revenue Operations Section  
Attention: Cashier's Office, MC 214  
Texas Commission on Environmental Quality  
P.O. Box 13088  
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
  - a. Within 90 days after the effective date of this Agreed Order, begin negotiating a water purchase contract that will enable the Facility to comply with the MCL for TTHM within 1,095 days of the effective date of this Agreed Order, in accordance with 30 TEX. ADMIN. CODE § 290.45.
  - b. Within 105 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k below to demonstrate compliance with Ordering Provision No. 2.a.
  - c. Within 1,095 days after the effective date of this Agreed Order, return to compliance with the MCL for TTHM, in accordance with 30 TEX. ADMIN. CODE § 290.115.
  - d. Within 1,110 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k below to demonstrate compliance with Ordering Provision No. 2.c.

In lieu of Ordering Provisions Nos. 2.a. through 2.d.:

- e. Within 120 days after the effective date of this Agreed Order, complete a feasibility study, or update an existing feasibility study, and submit a written report or engineering study conducted by a Texas registered professional engineer regarding the results of the feasibility study to evaluate the necessary corrective actions designed to achieve compliance with the MCL for TTHM. The report shall include a tentative schedule describing additional studies, tests, or other methods that may be utilized for the completion of necessary corrective actions within 1,095 days after the effective date of this Agreed Order. If the Respondent purchases or sells water, a copy of the purchase water contract must be submitted with the feasibility study report or engineering study. The evaluation shall be sent to the addresses listed in Ordering Provision No. 2.k below.

- f. Within 135 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k below to demonstrate compliance with Ordering Provision No. 2.e.
- g. Within 180 days after the effective date of this Agreed Order:
  - i. Submit an acceptable written plan, including a proposed schedule, to the Executive Director that provides for the completion of an alternative water source or a treatment technology to the addresses listed in Ordering Provision No. 2.k below; and
  - ii. On a semi-annual basis thereafter, submit progress reports to the addresses listed in Ordering Provision No. 2.k below. These reports shall include information regarding actions taken to provide water which meets the MCL for TTHM.
- h. Within 195 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k below to demonstrate compliance with Ordering Provision No. 2.g.i.
- i. Within 1,095 days after the effective date of this Agreed Order, return to compliance with the MCL for TTHM, in accordance with 30 TEX. ADMIN. CODE § 290.115.
- j. Within 1,110 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k below, to demonstrate compliance with Ordering Provision No. 2.i.
- k. The written certifications of compliance required by Ordering Provisions Nos. 2.b, 2.d, 2.f, 2.h, and 2.j shall include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance, be notarized by a State of Texas Notary Public, and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certifications shall be submitted to:

Order Compliance Team  
Enforcement Division, MC 149A  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, Texas 78711-3087

with a copy to:

Public Drinking Water Section Manager  
Water Supply Division, MC 155  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, Texas 78711-3087

3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to the Respondent if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.
6. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
7. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
8. This Agreed Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Agreed Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission,

including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Agreed Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms "electronic transmission", "owner", "person", "writing", and "written" shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.

9. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties. By law, the effective date of this Agreed Order is the third day after the mailing date, as provided by 30 TEX. ADMIN. CODE § 70.10(b) and TEX. GOV'T CODE § 2001.142.

## SIGNATURE PAGE

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

\_\_\_\_\_  
For the Commission

*Ramona*  
For the Executive Director

10/7/15  
Date

I, the undersigned, have read and understand the attached Agreed Order in the matter of the City of Munday. I am authorized to agree to the attached Agreed Order on behalf of the City of Munday, and do agree to the specified terms and conditions. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I understand that by entering into this Agreed Order, the City of Munday waives certain procedural rights, including, but not limited to, the right to formal notice of violations addressed by this Agreed Order, notice of an evidentiary hearing, the right to an evidentiary hearing, and the right to appeal. I agree to the terms of the Agreed Order in lieu of an evidentiary hearing. This Agreed Order constitutes full and final adjudication by the Commission of the violations set forth in this Agreed Order.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

*Robert E. Bowen*  
Signature

7/1/15  
Date

Robert E. Bowen  
Name (Printed or typed)  
Authorized Representative of  
City of Munday

Mayor  
Title

**Instructions:** Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Section III, Paragraph 1 of this Agreed Order.